




β Calculation

Sajini Wijethunga

Accelerator Physics

G. A. Krafft
Jefferson Lab
Old Dominion University
Lecture 5

Thin Lenses



Thin Focusing Lens (limiting case when argument goes to zero!)

$$\begin{pmatrix} x(s_{lens} + \varepsilon) \\ \frac{dx}{ds}(s_{lens} + \varepsilon) \end{pmatrix} = \begin{pmatrix} 1 & 0 \\ -1/f & 1 \end{pmatrix} \begin{pmatrix} x(s_{lens} - \varepsilon) \\ \frac{dx}{ds}(s_{lens} - \varepsilon) \end{pmatrix}$$


Thin Defocusing Lens: change sign of f

Effect of Transformation

Let the final ellipse be $\gamma x^2 + 2\alpha xy + \beta y^2 = \varepsilon$

The transformed coordinates must solve this equation.

$$\gamma x'^2 + 2\alpha x'y' + \beta y'^2 = \varepsilon$$



The transformed coordinates must also solve the initial equation transformed.

$$\begin{pmatrix} x' \\ y' \end{pmatrix} = \begin{pmatrix} M_{11} & M_{12} \\ M_{21} & M_{22} \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix}$$

$$\begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} M_{11}^{-1} & M_{12}^{-1} \\ M_{21}^{-1} & M_{22}^{-1} \end{pmatrix} \begin{pmatrix} x' \\ y' \end{pmatrix}$$

Because

$$\begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} (M^{-1})_{11} & (M^{-1})_{12} \\ (M^{-1})_{21} & (M^{-1})_{22} \end{pmatrix} \begin{pmatrix} x' \\ y' \end{pmatrix}$$

The transformed initial ellipse is

$$\gamma x'^2 + 2\alpha x'y' + \beta y'^2 = \epsilon_0$$

$$\gamma = (M^{-1})_{11}^2 \gamma_0 + 2(M^{-1})_{11}(M^{-1})_{21} \alpha_0 + (M^{-1})_{21}^2 \beta_0$$


$$\alpha = (M^{-1})_{11}(M^{-1})_{12} \gamma_0 + ((M^{-1})_{11}(M^{-1})_{22} + (M^{-1})_{12}(M^{-1})_{21}) \alpha_0 + (M^{-1})_{21}(M^{-1})_{22} \beta_0$$

$$\beta = (M^{-1})_{12}^2 \gamma_0 + 2(M^{-1})_{12}(M^{-1})_{22} \alpha_0 + (M^{-1})_{22}^2 \beta_0$$


$$\beta = \frac{1}{0.5} (-u - v + \frac{uv}{f})^2 + 0.5(1 - \frac{v}{f})^2$$

$$\gamma_0 = \frac{1}{0.5}, \beta_0 = 0.5, \alpha_0 = 0$$


Lens 1 -viewer 1 (f=333.33 mm)




Lens 1-viewer 2 (f=375 mm)



Lens 2-viewer 1 (f=293.33 mm)




Lens 2-viewer 2 (f=495 mm)




$$\beta = \frac{1}{0.5} (-u - v + \frac{uv}{f})^2 + 2 \times 2.5 \times 10^{-3} (-u - v + \frac{uv}{f})(1 - \frac{v}{f}) + 0.5(1 - \frac{v}{f})^2$$

$$\gamma_0 = \frac{1}{0.5}, \quad \beta_0 = 0.5, \quad \alpha_0 = 2.5 \times 10^{-3}$$


Lens 1-viewer 1 ($f=333.33$ mm)




Lens 1-viewer 2 ($f=375$ mm)



Lens 2-viewer 1 ($f=293.33$ mm)




Lens 2-viewer 2 ($f=495$ mm)




$$\beta = \frac{1}{0.5} (-u - v + \frac{uv}{f})^2 - 2 \times 2.5 \times 10^{-3} (-u - v + \frac{uv}{f})(1 - \frac{v}{f}) + 0.5(1 - \frac{v}{f})^2$$

$$\gamma_0 = \frac{1}{0.5} , \beta_0 = 0.5 , \alpha_0 = -2.5 \times 10^{-3}$$


Lens 1 -viewer 1 (f=333.33 mm)




Lens 1-viewer 2 (f=375 mm)



Lens 2-viewer 1 (f=293.33 mm)



Lens 2-viewer 2 (f=495 mm)



- Calculated focal length values from lens equation and from current

Lens	Viewer	$f = \frac{uv}{u+v}$ (mm)	f from the current (mm)
1	1	333.33	271.515
1	2	375.00	306.64
2	1	293.33	284.42
2	2	495.00	461.276

- Calculated distance to the photocathode using the focal length from the current

Lens	Viewer	Distance to object (mm)
1	1	372.7118
1	2	385.4327
2	1	984.3225
2	2	946.2632

