




EIC meson structure

June 14th, 2021


Richard Trotta

pi_n_10on135_x0.001-1.000_q1.0-1000.0

```
xbinwidth = 0.01  
qbinwidth = 10.0  
tbinwidth = 0.01  
xLbinwidth = 0.01
```





```
xbinwidth = 0.1  
qbinwidth = 100.0  
tbinwidth = 0.01  
xLbinwidth = 0.01
```




pi_n_10on135_x0.001-1.000_q1.0-1000.0

```
xbinwidth = 0.01  
qbinwidth = 10.0  
tbinwidth = 0.01  
xLbinwidth = 0.01
```



```
xbinwidth = 0.1  
qbinwidth = 100.0  
tbinwidth = 0.01  
xLbinwidth = 0.01
```



```
pi_n_10on135_x0.001-1.000_q1.0-1000.0
```



```
cut60 = ["Q2cut3", "xLcut85", "ycut"]
```

```
{"Q2cut3" : ((55.0 <= Q2) & (Q2 <= 65.0))}
```


```
{"xLcut85" : ((0.8500 <= xL) & (xL <= 0.8600))}
```

```
xbinwidth = 0.01  
qbinwidth = 10.0  
tbinwidth = 0.01  
xLbinwidth = 0.01
```

```
xbinwidth = 0.1  
qbinwidth = 100.0  
tbinwidth = 0.01  
xLbinwidth = 0.01
```





pi_n_10on135_x0.001-1.000_q1.0-1000.0



```
xbinwidth = 0.1  
qbinwidth = 100.0  
tbinwidth = 0.01  
xLbinwidth = 0.01
```

Found one big issue...this odd cut at t





My t is calculated by the following equation...

$$t = (P_{pr} - P_n)^2 = M_{pr}^2 + M_n^2 - 2P_n \cdot P_{pr}$$

where

P_{pr} is the incident proton (i.e. proton beam)

and the LN is defined by the following...

$$P_n = P_{n,rest}.Boosted()$$

$$\vec{P}_{n,rest} = pS_{rest} \sin(\arccos(\cos(\theta_{recoil}))) [\cos(\phi_{recoil}) \hat{x} + \sin(\phi_{recoil}) \hat{y}] + pS_{rest} \cos(\theta_{recoil}) \hat{z}$$

$$pS_{rest} = pS_{max}(uw)^{1/3} \quad // \text{ uniform in } 3p^2 \text{ dp} = d(p^3), \text{ pSMax}=0.3, uw = \text{ran3.Uniform}()$$

$$\cos(\theta_{recoil}) = 2ux - 1 \quad // ux = \text{ran3.Uniform}()$$

$$\phi_{recoil} = \pi(2uy - 1) \quad // uy = \text{ran3.Uniform}()$$

**Fun4AllSingularityDistribution**

Powered Off



SIMPLE Event FILE

=====

I, ievent, nParticles

=====

I K(I,1) K(I,2) K(I,3) K(I,4) K(I,5) P(I,1) P(I,2) P(I,3) P(I,4) P(I,5) V(I,1) V(I,2) V(I,3)

=====

0 1 1

=====

1	21	11	0	3	4	-0.027134	0.182672	-9.992511	9.992511	0.000511	0.000000	0.000000	0.000000
2	21	2212	0	5	6	-0.012465	-0.004165	135.025032	135.025032	0.938272	0.000000	0.000000	0.000000
3	21	22	1	0	0	4.898869	-21.778319	-15.863878	27.385338	0.000000	0.000000	0.000000	0.000000
4	1	11	1	0	0	-4.926003	21.960991	5.871367	23.259914	0.000511	0.000000	0.000000	0.000000
5	1	2112	2	0	0	2.699837	-0.097800	114.399623	114.435365	0.939565	0.000000	0.000000	0.000000
6	1	211	2	0	0	-4.898869	21.778319	15.863878	27.385694	0.139570	0.000000	0.000000	0.000000

===== Event finished =====



root -l

gSystem->Load("libeicsmear.so")

BuildTree("target.dat", ".", -1, "log.txt")



Error in <TROOT::TVector2::Phi_0_2pi>: function called with NaN

Error in <TROOT::TVector2::Phi_0_2pi>: function called with NaN

Error in <TROOT::TVector2::Phi_0_2pi>: function called with NaN

Error in <TROOT::TVector2::Phi_0_2pi>: function called with NaN

Error in <TROOT::TVector2::Phi_0_2pi>: function called with NaN

Error in <TROOT::TVector2::Phi_0_2pi>: function called with NaN