

# Be-Target Assembly Conceptual Design: Progress & Plans

Igor Strakovsky

The George Washington University  
(for KLF Collaboration)




- Hall D beam line for .
- Hall D setting.
-  radiation transport code.
- KPT & Plug materials.
- Be-target assembly.
- Biological dose rate for n &  $\gamma$ .
- Muon background.
- Where we are now & where to go.





# Hall D Beam Line for K-long


- **Electrons** ( $3.1 \times 10^{13}$  e/sec) are hitting **Cu-radiator** @ **CPS** located in **Tagger** alcove.
- **Photons** ( $4.7 \times 10^{12}$   $\gamma$ /sec @  $E > 1.5$  GeV) are hitting **Be-target** located in **collimator** alcove.
- **$K_L$ s** ( $1 \times 10^4$   $K_L$ /sec) are hitting **LH<sub>2</sub>/LD<sub>2</sub>** target within **GLueX** setting.





# Hall D Beam Line for K-long

- **Electrons** ( $3.1 \times 10^{13}$  e/sec) are hitting **Cu-radiator** @ **CPS** located in **Tagger** alcove.
- **Photons** ( $4.7 \times 10^{12}$   $\gamma$ /sec @  $E > 1.5$  GeV) are hitting **Be-target** located in **collimator** alcove.
- **$K_L$ s** ( $1 \times 10^4$   $K_L$ /sec) are hitting **LH<sub>2</sub>/LD<sub>2</sub>** target within **GLueX** setting.



D. Day et al, Nucl Ins Meth, A 957, 163429 (2020)

Sean Dobb's Talk



2/2/2020

KLF-2020, Newport News, Virginia, February 2020


Igor Strakovsky 3





# Hall D Beam Line for K-long

- **Electrons** ( $3.1 \times 10^{13}$  e/sec) are hitting **Cu-radiator** @ **CPS** located in **Tagger** alcove.
- **Photons** ( $4.7 \times 10^{12}$   $\gamma$ /sec @  $E > 1.5$  GeV) are hitting **Be-target** located in **collimator** alcove.
- **$K_L$ s** ( $1 \times 10^4$   $K_L$ /sec) are hitting **LH<sub>2</sub>/LD<sub>2</sub>** target within **GLueX** setting.



D. Day et al, Nucl Ins Meth, A 957, 163429 (2020)

Sean Dobb's Talk

Stuart Fegan's Talk



2/2/2020

KLF-2020, Newport News, Virginia, February 2020


Igor Strakovsky 4







# Hall D Beam Line for $K$ -long

- **Electrons** ( $3.1 \times 10^{13}$  e/sec) are hitting **Cu-radiator** @ **CPS** located in **Tagger** alcove.
- **Photons** ( $4.7 \times 10^{12}$   $\gamma$ /sec @  $E > 1.5$  GeV) are hitting **Be-target** located in **collimator** alcove.
- **$K_L$ s** ( $1 \times 10^4$   $K_L$ /sec) are hitting **LH<sub>2</sub>/LD<sub>2</sub>** target within **GLueX** setting.



Sergey Furlotov's Talk  
Sasha Somov's Talk



Stuart Fegan's Talk



Sean Dobb's Talk

D. Day et al, Nucl Ins Meth, A 957, 163429 (2020)



2/2/2020

KLF-2020, Newport News, Virginia, February 2020


Igor Strakovsky 5





# Hall D Beam Line for K-long

- **Electrons** ( $3.1 \times 10^{13}$  e/sec) are hitting **Cu-radiator** @ **CPS** located in **Tagger** alcove.
- **Photons** ( $4.7 \times 10^{12}$   $\gamma$ /sec @  $E > 1.5$  GeV) are hitting **Be-target** located in **collimator** alcove.
- **$K_L$ s** ( $1 \times 10^4$   $K_L$ /sec) are hitting **LH<sub>2</sub>/LD<sub>2</sub>** target within **GlueX** setting.



Sergey Furletov's Talk  
Sasha Somov's Talk

Sean Dobb's Talk

Stuart Fegan's Talk



2/2/2020

KLF-2020, Newport News, Virginia, February 2020



Igor Strakovsky 6





# Hall D Beam Line for K-long

$K_L$  Beam Flux



- Electrons ( $3.1 \times 10^{13}$  e/sec) are hitting Cu-radiator @ CPS located in Tagger alcove.
- Photons ( $4.7 \times 10^{12}$   $\gamma$ /sec @  $E > 1.5$  GeV) are hitting Be-target located in collimator alcove.
- $K_L^0$  ( $1 \times 10^4$   $K_L$ /sec) are hitting  $LH_2/LD_2$  target within GlueX setting.

$N(K_L)/sec \sim 10^4$


$\frac{N(K_L)_{Jefferson Lab}}{N(K_L)_{SLAC}} \sim 10^3$

12 GeV 5  $\mu$ A  
Bunch spacing 64 ns


North LINAC

East ARC


Compact Photon Source



$\gamma$ -beam




Pair Spectrometer



Sergey Furlotov's Talk  
Sasha Somov's Talk


Kaon Production Target



$\gamma$ -beam

$K_L$ -beam

Kaon Flux Monitor



Stuart Fegan's Talk



Sean Dobb's Talk




2/2/2020

KLF-2020, Newport News, Virginia, February 2020

Igor Strakovsky 7



- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.




- Most important & unpleasant **background** for **K<sub>L</sub>** comes from **neutrons**.



- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.


To reduce effect of **n** & **γ** background, coming from **Be** in experimental hall, we put **KPT** upstream in **collimator alcove**.



- Most important & unpleasant **background** for  $K_L$  comes from **neutrons**.

- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.

To reduce effect of **n** & **γ** background, coming from **Be** in experimental hall, we put **KPT** upstream in **collimator alcove**.




Additional shielding is to minimize **n** & **γ** background in experimental hall.

- Most important & unpleasant **background** for **K<sub>L</sub>** comes from **neutrons**.



- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.

To reduce effect of **n** & **γ** background, coming from **Be** in experimental hall, we put **KPT** upstream in **collimator alcove**.



Additional shielding is to minimize **n** & **γ** background in experimental hall.

To clean up **charged** component of beam (including **muons**).


- Most important & unpleasant **background** for **K<sub>L</sub>** comes from **neutrons**.





- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.

To reduce effect of **n** & **γ** background, coming from **Be** in experimental hall, we put **KPT** upstream in **collimator alcove**.



Additional **shielding** is to minimize **n** & **γ** background in experimental hall.







To clean up **charged** component of beam (including **muons**).

Vacuum beam **pipe** prevents **neutrons** re-scattering in air.

- Most important & unpleasant **background** for **K<sub>L</sub>** comes from **neutrons**.






- Realism of  simulations is based on advanced nuclear cross section **libraries** created & maintained in **national laboratories** of  complex.
- Physical models, implemented in  code, take into account
  - *bremsstrahlung* photon production,
  - *photonuclear* reactions,
  - neutron & photon *multiple scattering* processes.
-  model simulates **12 GeV 5 μA electron** beam hitting **Cu**-radiator inside **CPS**.
- **Electron** transport is traced in **Cu**-radiator, vacuum beam **pipe** for bremsstrahlung photons, **Be**.
- **Neutrons** & **gammas** is traced in all components of  model.
- **Media** outside concrete walls of collimator *alcove* & bremsstrahlung photon beam *pipe* were excluded from consideration to facilitate calculations. Additionally, we ignore **PS** & **KFM** magnets but took into account **5 SEG**-blocks around beam pipe in front of **GlueX** spectrometer.
- For  calculations (in terms of **flux** [**part/s/cm<sup>2</sup>**] & **biological dose rate** [**mrem/h**]), several **tallies** were placed along beam, collimator alcove, & experimental hall for **neutron** & **gamma** fluence estimation.





# Why Be was Selected for KPT

- Previous **SLAC** studies shown that **Be** is optimal material for **kaon** photoproduction.



G.W. Brandenburg *et al*, Phys Rev D 7, 708 (1973)

- Kaon yield  $\sim X_0 * \rho$  & Ratio(Be/C) = (65/43) = **1.51**



- **MCNP6** calculations show that **Be** reduces yield of **n** &  **$\gamma$** .

At key area for RadCon on ceiling

**Be:** n: 0.273±0.083 mrem/h **R(C/Be)=1.45**


$\gamma$ : 0.065±0.002 mrem/h

**C:** n: 0.397±0.197 mrem/h

$\gamma$ : 0.080±0.002 mrem/h



- Previous **SLAC** studies shown that  $W$  has low absorption factor for  $K_L$ .



Kaon:  $W/Cu(20\%) = 1.16$  @  $P_k = 1.0$  GeV/c  
 $= 1.36$  @  $P_k = 0.5$  GeV/c



- **MCNP6** calculations show that  $W$ -plug reduces yield for  $n$  &  $\gamma$ .

At key area for RadCon on ceiling

$W$ :  $n$ :  $0.273 \pm 0.083$  mrem/h     $R(Pb/W) = 2.25$      $R(Cu/W) = 9.29$   
 $\gamma$ :  $0.065 \pm 0.002$  mrem/h

$Pb$ :  $n$ :  $0.614 \pm 0.246$  mrem/h  
 $\gamma$ :  $0.527 \pm 0.006$  mrem/h


$Cu$ :  $n$ :  $2.537 \pm 0.385$  mrem/h  
 $\gamma$ :  $4.343 \pm 0.020$  mrem/h

G.W. Brandenburg *et al*, Phys Rev D 7, 708 (1973)




## $K_L$ Beam Flux

SLAC @ 16 GeV




MC @ 12 GeV



$$N(K_L)/sec \sim 10^4$$

$$\frac{N(K_L)_{Jefferson\ Lab}}{N(K_L)_{SLAC}} \sim 10^3$$

G.W. Brandenburg et al, Phys Rev D 7, 708 (1973)



• With proton beam, ratio  $n/K_L = 10^3 - 10^4$ .

- Flux of Kaons will be  $1 \times 10^4$   $K_L$ /sec on LH<sub>2</sub>/LD<sub>2</sub> within GlueX detector, which has large acceptance with coverage of both charged & neutral particles.
- This flux will allow statistics in case of LH<sub>2</sub>/LD<sub>2</sub> to exceed that of earlier SLAC experiments by almost three orders of magnitude.
- We simulated Kaon & neutron production from 12 GeV electrons for  $K_L$  by PYTHIA & MCNP6 & results are in reasonable agreement with results measured by SLAC @ 16 GeV.
- Delivered with 64 nsec bunch spacing avoids overlap between neutrons & Kaons in range of  $p = 0.35 - 10.0$  GeV/c.

See recent talk by Todd Satogata








# Be-Target Assembly

xy-cross section, x-dimension




- Be-target assembly will weight **14.5 t**
- Be-target has estimated cost of **\$1.12M**

- **Changeover** from **photon** to **Kaon** beamline & vice versa is expected to take about **half year** or less, & thus should fit well into beam breaks of current CEBAF **schedule**.
- **Collimator alcove** has enough space (with **4.52 m** width) for **Be**-target assembly to remain far enough from beamline.
- **Water Cooling** is available in experimental hall, & is sufficient to dissipate **6 kW** of power delivered by photon beam to **Be**-target & **W**-plug.

$\rho(W) = 16.3 \text{ g/cm}^3$  – Rolf’s value

Concrete walls are out of scale


## Gammas on face of Be-target





# Be-Target Assembly

xy-cross section, x-dimension



$\rho(W) = 16.3 \text{ g/cm}^3$  – Rolf's value

Concrete walls are out of scale

- Be-target assembly will weight 14.5 t
- Be-target has estimated cost of \$1.12M

- Changeover from photon to Kaon beamline & vice versa is expected to take about half year or less, & thus should fit well into beam breaks of current CEBAF schedule.
- Collimator alcove has enough space (with 4.52 m width) for Be-target assembly to remain far enough from beamline.
- Water Cooling is available in experimental hall, & is sufficient to dissipate 6 kW of power delivered by photon beam to Be-target & W-plug.

At key area for RadCon on ceiling


Pb & W n:  $0.349 \pm 0.172 \text{ mrem/h}$   
 y:  $0.078 \pm 0.005 \text{ mrem/h}$





# Be-Target Assembly

xy-cross section, x-dimension



$\rho(W) = 16.3 \text{ g/cm}^3$  – Rolf's value

Concrete walls are out of scale

- Be-target assembly will weight **14.5 t**
- Be-target has estimated cost of **\$1.12M**

- Changeover from **photon** to **Kaon** beamline & vice versa is expected to take about **half year** or less, & thus should fit well into beam breaks of current CEBAF **schedule**.
- **Collimator alcove** has enough space (with **4.52 m** width) for **Be-target** assembly to remain far enough from beamline.
- **Water Cooling** is available in experimental hall, & is sufficient to dissipate **6 kW** of power delivered by photon beam to **Be-target** & **W-plug**.

At **key** area for **RadCon** on ceiling

**Pb & W** **n**:  $0.349 \pm 0.172 \text{ mrem/h}$   
**γ**:  $0.078 \pm 0.005 \text{ mrem/h}$


**Pb & no W** **n**:  $0.614 \pm 0.246 \text{ mrem/h}$   
**γ**:  $0.527 \pm 0.006 \text{ mrem/h}$





# Be-Target Assembly

xy-cross section, x-dimension




- Be-target assembly will weight **14.5 t**
- Be-target has estimated cost of **\$1.12M**

- Changeover from **photon** to **Kaon** beamline & vice versa is expected to take about **half year** or less, & thus should fit well into beam breaks of current CEBAF **schedule**.
- **Collimator alcove** has enough space (with **4.52 m** width) for **Be**-target assembly to remain far enough from beamline.
- **Water Cooling** is available in experimental hall, & is sufficient to dissipate **6 kW** of power delivered by photon beam to **Be**-target & **W**-plug.

$\rho(W) = 16.3 \text{ g/cm}^3$  – Rolf's value

Concrete walls are out of scale



**W-plug**  
16 cm in diam  
10 cm in length

At **key** area for **RadCon** on ceiling

**Pb & W** **n:** 0.349±0.172 mrem/h  
**γ:** 0.078±0.005 mrem/h

**Pb & no W** **n:** 0.614±0.246 mrem/h  
**γ:** 0.527±0.006 mrem/h


**Pb & W-plug** **n:** 0.273±0.083 mrem/h  
**γ:** 0.065±0.002 mrem/h





# Be-Target Assembly



xy-cross section, x-dimension



- Be-target assembly will weight **14.5 t** → **12 t**
- Be-target has estimated cost of **\$1.12M** → **\$0.134M**

- Changeover from **photon** to **Kaon** beamline & vice versa is expected to take about **half year** or less, & thus should fit well into beam breaks of current **CEBAF schedule**.
- **Collimator alcove** has enough space (with **4.52 m** width) for **Be-target** assembly to remain far enough from beamline.
- **Water Cooling** is available in experimental hall, & is sufficient to dissipate **6 kW** of power delivered by photon beam to **Be-target** & **W-plug**.

$\rho(W) = 16.3 \text{ g/cm}^3$  – Rolf's value



At **key** area for **RadCon** on ceiling

**Pb & W** **n**: 0.349±0.172 mrem/h  
**γ**: 0.078±0.005 mrem/h

**Pb & no W** **n**: 0.614±0.246 mrem/h  
**γ**: 0.527±0.006 mrem/h

**Pb & W-plug** **n**: 0.273±0.083 mrem/h  
**γ**: 0.065±0.002 mrem/h

**W-plug**  
**16 cm in diam**  
**10 cm in length**

- Increasing **plug diam** will increase **n** background.
- Increasing **plug length** will reduce **kaon** flux.

**24 cm in diam**: **n**: 0.773±0.330 mrem/h  
**γ**: 0.074±0.002 mrem/h


**15 cm in length**: **n**: 0.163±0.061 mrem/h  
**γ**: 0.003±0.001 mrem/h





# Hall D Setting & Dose Rate


- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.





# Hall D Setting & Dose Rate


- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.





# Hall D Setting & Dose Rate

- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.








# Hall D Setting & Dose Rate


- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.





# Hall D Setting & Dose Rate


- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.





# Hall D Setting & Dose Rate

- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.




**BCAL:** T.D. Beattie *et al*, Nucl Instrum Meth A 896, 24 (2018)

**SC:** E. Pooser *et al*, Nucl Instrum Meth

**SiPM** costs \$20 a piece. A 927, 330 (2019)


One cannot expect problem to replace them every 6-12 mo.





# Hall D Setting & Dose Rate



- For **neutron** & **gamma** calculations, we use **MCNP6** radiation transport code.



**BCAL:** T.D. Beattie *et al*, Nucl Instrum Meth A 896, 24 (2018)

**SC:** E. Pooser *et al*, Nucl Instrum Meth A 927, 330 (2019)


SiPM costs \$20 a piece. One cannot expect problem to replace them every 6-12 mo.



Previous studies stand that dose rate of 30 mreh/h increases a dark current at SiPM by a factor of 5 after 75 days of running period.




- Vertical cross section of **neutron** flux calculated using .





There is no  
Neutron Halo  
around Beam

- Vertical cross section of **gamma** flux calculated using .



Gamma Halo  
around Beam.



- Our  simulations included **BH** muon background from **KPT** & photon dump @ **CPS**, both backgrounds into **GlueX** detector & **muon** dose rate outside **Hall D**.




- Most of **muons** are coming from **W**-plug.
- Number of produced **muon** in **KPT** & **W**-plug is about the same, but **muons** originating in **W** have much softer momenta.
- **Muon Flux** is  $\sim 10^7$   $\mu$ /sec.
- Our calculations show that **muons** will be **swept** out of kaon beamline.

Overall, **Muon Flux** for  experiment is tolerable.





# Where We are Now & Where to Go

- Kaon flux @ KLF will allow statistics in case of LH<sub>2</sub> target to exceed that of earlier SLAC experiments by almost three orders of magnitude.
  - Calculations for KPT were performed for different shielding configurations to minimize neutron & gamma prompt radiation dose rate & reduce price of KPT.
  - Neutron & gamma flux & dose rate for  is below JLab RadCon requirement establishing radiation dose rate limit in experimental hall.  
Materials & equipment: \$0.134M.
  - Neutron flux & energy distribution on face of LH<sub>2</sub>/LD<sub>2</sub> cryogenic target is important physical background in case of np or nd interactions in cryogenic target.
  - Neutron dose rate for SiPM of SC, surrounded cryogenic LH<sub>2</sub>/LD<sub>2</sub> target, & BCAL is also important.  
SiPM costs \$20 a piece. One cannot expect problem to replace them every 6-12 mo.
- Engineering design is in order ?

Any Questions ?







# Collimator Alcove & Experimental Hall


[29.5 m long x 17.2 m wide]

### xy-cross section, x-dimension




• Be-target assembly is cylinder.  
Then there is no difference between x & y dimensions.

### xy-cross section, y-dimension



### Beam dump



### xz-cross section, z-dimension

