



Kpi scattering study for KLF

Shankar Adhikari
Old Dominion University



Outline

- Kpi study; CG coefficient for charge and neutral pion exchange

$$KL\pi^+ \rightarrow KL\pi^+: \frac{a^2}{3} + \frac{2b^2}{3}$$

$$KL\pi^+ \rightarrow KS\pi^+: \frac{a^2}{3} - \frac{b^2}{3}$$

$$KL\pi^+ \rightarrow K^+\pi^0: -\frac{a^2}{3} + \frac{b^2}{3}$$

$$KL\pi^0 \rightarrow KL\pi^0: \frac{a^2}{3} + \frac{2b^2}{3}$$

$$KL\pi^0 \rightarrow K^+\pi^-: -\frac{a^2}{3} + \frac{b^2}{3}$$

$$KL\pi^0 \rightarrow K^-\pi^+: -\frac{a^2}{3} + \frac{b^2}{3}$$


$$KL\pi^- \rightarrow KL\pi^-: \frac{a^2}{3} + \frac{2b^2}{3}$$

$$KL\pi^- \rightarrow KS\pi^-: -\frac{a^2}{3} + \frac{b^2}{3}$$




$$KL\pi^- \rightarrow K^-\pi^0: -\frac{a^2}{3} + \frac{b^2}{3}$$

$$K_L p \rightarrow K^-\pi^0\Delta^{++}(p\pi^+)$$

Thrown Kinematics update




Kinematics of Reconstruction




Resolution


Four Momentum Resolution for $K_L p \rightarrow K^- \pi^0 \Delta^{++}$




$K^- \pi^0$ Invariant Mass Resolution for $K_L p \rightarrow K^- \pi^0 \Delta^{++}$




Momentum dependent Delta Mass




Mass Reconstruction - t'




Efficiency



Acceptance Correction




Phase shift




P-wave phase shift from SLAC; KLF proposal

Phase Shift


inv mass $K\pi$ VS phase shift




inv mass $K\pi$ VS phase shift







inv mass $K\pi$ VS phase shift





inv mass $K\pi$ VS phase shift



Phase Shift



Phase Shift



Kinematics of Generation

